

## PUBLISHED PAPERS in INTERNATIONAL REFEREED JOURNALS

Akbas, B., Değirmenci, K., Çiftci, O., Kaya, A., Yurtmen, M., Uzunoğulları, N., Çelik, N., Türkölmez, Ş. 2011. Update on Plum pox virus distribution in Turkey. *Phytopathology Mediterranean* 50,75-83.

Ari E, Ikten, H., Gocmen, M., Coskun, R., Eren, A. 2010. Comparative Evaluation of Different Embryo Rescue Techniques on Parthenogenetic Melon (*Cucumis melo L.*) Fruits Induced With Irradiated Pollen. *African Journal of Biotechnology* Vol. 9(33), pp. 5347 - 5356.

Aydinşakir, K., Büyüktas, D., Özçelik, A., Tüzel, İ.H. 2009. Quality Characteristics of Drip Irrigated Carnation (*Dianthus caryophyllus L.* cv. "Eilat") under Protected Conditions. *Acta Hort. (ISHS)* 807:307-312.

Aydinşakir, K., Ünlü, A., Yılmaz, S., Ari, N. 2009. The Effects of Compost Applications on Yield and Quality Characteristics of Anemone coronaria L. cv. "Red Meron". *Acta Hort. (ISHS)* 807:359-364.

Aydinşakir, K., Tuzel, I.H., Buyuktas, D. 2011. The Effects of Different Irrigation Levels on Flowering and Flower Quality of Carnation (*Dianthus caryophyllus L.*) Irrigated by Drip Irrigation. *African Journal of Biotechnology*, Vol. 10(66): 14826-14835.

Baysal Ö., Siragusa, M., İkten, H., Polat, İ., Gümrükçü, E., Yigit, F., Carimi, F., Teixeira da Silva, J.A. 2009. *Fusarium oxysporum* f. sp. *lycopersici* races and their genetic discrimination by molecular markers in West Mediterranean region of Turkey. *Physiological and Molecular Plant Pathology*

Baysal Ö., Siragusa, M., Gümrükçü, E., Zengin, S., Carimi, F., Sajeva, M., Teixeria da Silva, J.A., (2009) Molecular Characterization of *Fusarium oxysporum* f. *melongenae* virulence by ISSR and RAPD Markers on Eggplant

Baysal, Ö., Siragusa,M., Gümrükçü, E., Zengin, S., Carimi, F., Sajeva, M., Teixeria da Silva, J.A. 2010. Molecular Characterization of *Fusarium oxysporum* f. *Melongenae* virulence by ISSR and RAPD Markers on Eggplant. *Biochemical Genetics* 48: 524-37.

Boyacı, H. F., Oğuz, A., Ünlü, M., Denizer, B., Abak, K., 2009. Growth, Pollen Quantity and Quality and Fruit Characteristics of Some Parthenocarpic and Non-parthenocarpic Eggplants in Unheated Greenhouse. *Acta Horticulturae*, 807:239-244.

Boyaci, H.F., Oguz, A.,Yazici, K. and Eren,A. 2011. The Efficacy of Endogenous Gibberellin Acid for Parthenocarpy in Eggplant (*Solanum melongena L.*). *African Journal of Biotechnology*. Vol. 10(34), pp. 6522-6528, 11 July, 2011.

Boyacı H.F, Ünlü A, Abak K. 2011. Genetic Analysis of Resistance to Wilt Caused by *Fusarium* (*Fusarium oxysporum melongenae*) in Eggplant (*Solanum melongena*). *Indian Journal of Agricultural Sciences* 81 (9):26-29.

Canakci, M., Karayel, D. Topakci, M., Koc, A. 2009. 1. Performance Of A No:Till Seeder Under Dry And Wet Soil Conditions. Applied Engineering In Agriculture Dergi ISSN:08838542

Çelikyurt, M.A., Sayın, B., Tepe, S. 2011. Loquat Production In The West Mediterranean Region Of Turkey. Acta Hort. (ISHS) 887:127-129

ÇınarA., Elmasulu S., Bayır A., Turgut K. 2011.Comparison of total phenolics of ethanolic extracts from *Sideritis* species, distributed in the natural flora of Antalya. *Planta Medica*, 77(12): 1273-1273.

Dal, B., Gözen B. 2010. The Effects of Post-Harvest Waxing on Shelf Life in Satsuma Mandarin Types. *Acta Horticulturae* 877 (ISHS). ISBN 978-90-66056-13-8. ISSN 0567- 7572

Devran, Z., Söğüt, M.A. 2009. Distribution and identification of Root-knot Nematodes from Turkey. *Journal of Nematology*

Devran, Z., Mutlu, N., Özarslan, A., Elekçioğlu, İ. H. 2009. Identification and genetic diversity of *Meloidogyne chitwoodi* in potato production areas of Turkey. *Nematoropica* 39: 75-83.

Devran, Z., Söğüt, M.A., Mutlu, N. 2010. Response of tomato rootstocks with the Mi resistance gene to *Meloidogyne incognita* race 2 at different soil temperatures. *Phytopathologia Mediterranea*, 49 (1): 11-17.

Devran,Z.,Söğüt,M.A.2011.Characterizingracesof*Meloidogyneincognita*,*M.javanica*and*M.are naria*intheWestMediterraneanregionofTurkey.*CropProtection*,30,451-455.

Devran, Z., Firat, A.F., Tör, M., Mutlu, N. Elekçioğlu, I.H. 2011. AFLP and SRAP markers linked to the *mj* gene for root-knot nematode resistance in cucumber. *Scientia Agricola*, 68: 115-119.

Elmasulu, S., Kürkçüoğlu, M., Ince, A.G, Karaca, M., Çınar, A., Onus, A., Başer, KHC., Turgut K. 2011. Classification of 63 *Origanum* taxa based on microsatellite markers and essential oil composition. *Planta Medica*, 77(12): 1296-1296.

Erbas, M., Sekerci, H., Gül, S., Furat, S., Yol, E., Uzun, B. 2009. Changes in total antioxidant capacity of sesame (*Sesamum* sp.) by variety. *Asian Journal of Chemistry*, 21: 5549- 5555

Erdal, Ş., Pamukçu, M., Savur, A., Tezel, M. 2011. Evaluation of Developed Standart Sweet Corn (*zea mays sacharata* L.) Hybrids for Fresh Yield, Yield Components and Quality Parameters. *T. Journal of Field Crops*.16(2): 153-156

Furat, S., Uzun, B. 2010. The use of agro-morphological characters for the assessment of genetic diversity in sesame (*Sesamum indicum* L). *Plant Omics J* 3:85-91

Gölükçü, M., Özdemir, F., 2010. Changes In Phenolic Composition Of Avocado Cultivars During Harvesting Time. *Chemistry of Natural Compounds*, 46 (1): 112-115.

Gozlekçi, Ş., Ercisli, S., Okturen, F., Sonmez, S. 2011. Physico-Chemical Characteristics at Three Development Stages in Pomegranate cv 'Hicaznar'. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 39(1):241-245.

Gubbuk, H., Guven, D., Gunes, E. 2010. Physical Features Of Some Turkish Carob (*Ceratonia Siliqua* L.) Pods. *Bulletin Of University Of Agricultural Sciences And Veterinary Medicine Cluj-Napoca. Horticulture, North America*, 6620 02.

Gubbuk, H., Kafkas, E., Guven, D., Gunes, E. 2010. Physical and phytochemical profile of wild and domesticated carob (*Ceratonia siliqua* L.) genotypes. *Journal Spanish Journal of Agricultural Research* Vol. 8 No. 4 pp. 1129-1136

Kabas, Ö. 2010. Methods of Measuring Bruise Volume of Pear (*Pyrus Communis* L.) *International Journal of Food Properties*, Volume 13, Issue 5 pages 1178 – 1186.

Karaca, M., Elmasulu, S., Kürkçüoğlu, M., Ince, AG, Çınar, A., Onus, A., Başer, KHC., Turgut, K. 2011. Major volatile compounds of 50 *Thymus* taxa naturally grown in Antalya region of Turkey. *Planta Medica*, 77(12): 1295-1295.

Kazaz, S., Ucar, Y., Askin, M.A., Aydinsakir, K., Senyigit, U., Kadayici, A. 2010. Effects of Irrigation Regimes on Yield and Some Quality Parameters of Carnation. *Scientific Research and Essays*, 5(19):2921-2930.

Kıralan, M., Gölükçü, M., Tokgöz, H. 2009. Oil content and CLA content of seeds from important pomegranate cultivars (*Punica granatum* L.) grown in Turkey. *Journal of The American Oil Chemists Society*, DOI 10.1007/s11746-009-1436-x.

Nasırcılar,A.G., Mirici, S., Karagüzel, Ö., Eren, Ö., Baktır, İ. 2011. In Vitro Propagation of Endemic and Endangered *Muscari mirum* Speta from Different Explant Types. *Turkish Journal of Botany*.Volume: 35, Issue 1(January 2011).

Nunes, C., Graça, A., Yıldırım, I., Sahin, G., Erkan, M. 2010. Metabolic response to UV-C treatments on minimally processed pomegranate arils. *Proceedings of the Sixth Int. Postharvest Symposium*, Eds: M. Erkan, U. Aksoy, *Acta Horticulturae*, Number 877, Volume 3, 1505-1509.

Onursal, C. E., Gozlekci, S., Erkan, M., Yildirim, I. 2010. The Effects of UV-C and Hot Water Treatments on Total Phenolic Compounds of Juice, Peel and Seed Extracts of Pomegranate (*Punica granatum* L.). *Proceedings of the Sixth Int. Postharvest Symposium*, Eds: M. Erkan, U. Aksoy, *Acta Horticulturae*, Number 877, Volume 1, 657-663.

Öktüren Asri, F., Sönmez, S. 2010. Reflection of Different Application of Potassium and Iron Fertilization on Tomato Yield and Fruit Quality In Soilless Medium. *Journal of Food Agriculture and Environment*. Vol.3&4, pp. 426-429.

Özarslandan, A., Devran, Z., Mutlu, N., Elekçioğlu, İ.H. 2009. First report of Columbia Root-knot nematode (*Meloidogyne chitwoodi*) in Potato in Turkey. *Plant Disease*, 93: 316.

Özçelik, A., Aydınsakir, K., Arı, E., Özkan, C.F. 2009. The Effect of Bio-Control Agents on Yield and Flower Quality of Cut Phalaenopsis. *Acta Hort. (ISHS)* 807:693-698.

Sayin, B., Çelikyurt, M.A., Yilmaz, S., Çelik, İ. 2010. Economic Evaluation Of Chemical And Non-Chemical Soil Disinfestation Applications For Tomato Production In Turkey, *Acta Hort. (ISHS)* 883:91-97

Sayin, C., Karaman, S., Mencet, M.N., Tascioglu, Y., Yildirim, I. 2010. Determining the Role of Cold Storage Practices for Apple Marketing in Turkey. Proceedings of the Sixth Int. Postharvest Symposium, Eds: M. Erkan, U. Aksoy, *Acta Horticulturae*, Number 877, Volume 2, 979-987.

Söğüt,M.A.,Devran,Z.2011.DistributionandmolecularidentificationoffroolesionnematodesintemperefruitorchardsofTurkey.*Nematropica*41:128-133.

Topuz, E., Madanlar, N., Erler, F. 2011. Evaluation of fumigan ttoxicity of *Mentha pulegium* L. Essential oil against *Tetranychus cinnabarinus* (Boisduval) (Acarina:Tetranychidae)under greenhouse conditions *Fresenius Environmental Bulletin*, (Baskıda)

Tülek, A., Kepenekçi, İ., Cobanoğlu, S., Hekimhan, H., Devran, Z., Melik, B., Elekçioğlu, H.İ. 2009. A new multiplication method of rice white tip nematode (*Aphelenchoides besseyi* Christie, Aphelenchida: Aphelenchoidiae), on Carrot Discs. *Russian Journal of Nematology*

Uzun, B., Zengin, Ü., Furat, Ş., Akdeşir, Ö. 2009. Sowing date effects on growth, flowering, seed yield and oil content of canola cultivars. *Asian Journal of Chemistry*, 21: 1957-1965.

Uzun, A., Yeşiloğlu,T., Polat, İ., Kaçar,Y. A., Gülsen, O., Yıldırım, B., Tuzcu, Ö., Tepe, S., Canan, I., Anıl, Ş. 2010. Evaluation of Genetic Diversity in Lemons and Some of Their Relatives Based on SRAP and SSR Markers. *Plant Mol Biol Rep.* DOI 10.1007/s11105-010-0277-y

Yılmaz, M., Baysal, Ö. 2009. Determinetion of Antibacterisid effects of Some Volatile oils against *Clavibacter michiganensis* subsp. *michiganensis* (Smith), which is agent of Bacterial Canser Deasease in Tomato (L.esculentum L.) Seed. *Seed Science and Technology* (in pres)

Yılmaz, M. 2009. Phytoalexins and Seed Applications. *Seed Science and Technology* (in pres).

Yılmaz, S., Çelikyurt, M.A., Sayin, B. 2010. Adoption of Methyl Bromide Alternatives and a Profile of Turkish Cut Flower Sector, *Acta Hort. (ISHS)* 883:75-82

Yilmaz,S., Celik,I.,Zengin, S. 2011. Combining Effects Of Soil Solarization and Grafting on Plant Yield And Soil-Borne Pathogens İn Cucumber, *International Journal of Plant Production* 5 (1), January 2011 ISSN: 1735-6814 (Print), 1735-8043 (Online)

Boyacı, H.F., Ünlü, A., Abak, K., 2012. Screening for Resistance to *Fusarium* Wilt of some Cultivated Eggplant and Wild *Solanum* Accessions. *Acta Hort.* (ISHS) 935:23-27.

Devran, Z., Baysal, Ö. 2012. Genetic Characterization of *Meloidogyne incognita* isolates from Turkey using Sequence-Related Amplified Polymorphism (SRAP), *Biologia*, 67:535-539.

Dinçer,C.,Tontul, İ., Çam,İ.,B., Özdemir,K.,S., Topuz,A.,Şahin-Nadeem,H., Tuğrul Ay,S., Göktürk,R.,S.,2012.Phenolic composition and antioxidant activity of *Salvia tomentosa* Miller: Effects of cultivation, year, and storage. Turkish Journal of Agricultural and Forestry (Yayında).

Dincer,C., M. Torun, I. Tontul, R.S., Göktürk, A. Topuz, H. Şahin-Nadeem, S. Tuğrul Ay and F. Ozdemir. 2014. Phenolic composition and antioxidant activity of *Sideritis lycia* and *Sideritis libanotica* subsp. linearis: effects of cultivation, year and storage, Turkish Journal of Agricultural and Forestry TAR-1404-14.10 Puan.

Karagüzel, Ö., Kaya, A.S, Biner B., Aydinşakir, K., 2012. In vitro propagation of native *Ornithogalum* species in West Mediterrenean region of Turkey. African Journal of Agricultural Research, Vol. 7(17):2669-2673.

Okturen Asri, F and S. Sonmez., 2012. Effects of Different Potassium and Iron Levels on Seasonal Changes of Nutrient Concentrations of Tomato Plant Grown in Soilless Culture. African Journal of Agricultural Research. Vol. 7(1), pp.28-33.

Ozer, C., A.S.Yasasin, O. Ergonul, S. Aydin, 2012. The Effects Of Berry Thinning And Gibberallin On Recel Uzumu Table Grapes. Pak. J. Agri. Sci. Vol. 49(2), 105-112.

Ozer, C., Yasasin, A S., Ergonul, O., Aydin, S. (2012) The Effects Of Berry Thinning And Gibberallin On Recel Uzumu Table Grapes. Pak. J. Agri. Sci. Vol. 49(2), 105-112.

Sayıncı, B. ,Ercisli, S., Ozturk, İ., Eryılmaz, Z. ,Demir, B. 2012. Determination Of Size And Shape In The Moro Blood Orange And Valencia Sweet Orange Cultivars As Well As The Valencia Mutants Using Image Processing.*Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 40(1), 234 - 242.

Uzun B., E. Yol, Ş. Furat, M. Topakçı, M. Çanakçı, D. Karayel (2012). The Effects Of Different Tillage Methods On The Post-Wheat Second Crop Sesame: Seed Yield, Energy Budget, And Economic Return. Turkish Journal Of Agriculture And Forestry 36(2012): 399-407.

Arslan M., Erdurmuş C., Çakmakçı S., 2013. Comparison of Germination and Early Seedling of Silage Maize (*Zea mays L.*) Exposed to Different NaCl Levels. Journal of Food, Agriculture & Environment Vol.11 (3&4): 745 – 747. 2013.Helsinki, Finland.

Arslan M., Erdurmuş C., Çakmakçı S., 2013. Effects of NaCl concentrations of Germination and Early Seedling of Silage Sorghum (*Sorghum bicolor* (L.) Moench) Varieties on Different Textured Soils. Journal of Food, Agriculture & Environment Vol.11 (2): 474 – 476. 2013.Helsinki, Finland.

Aydinşakir, K., Erdal, Ş., Büyüktaş, D., Baştuğ, R., Toker, R., 2013. The Influence of Regular Deficit Irrigation Applications on Water Use, Yield, and Quality Components of Two Corn (*Zea mays L.*) Genotypes. Agricultural Water Management, Vol 128:65-71

Aydınşakir, K., Ulukapı, K., Kurum, R., Büyüktaş, D., 2013. The effects of Different Salt Source and Concentrations on Germination and Seedling Growth of Some Pumpkin Seeds Used as Rootstock. Journal of Food, Agriculture & Environment, Vol 11(1): 503-510.

Dinçer, C., Tontul, İ., Çam, İ. B., Özdemir, K. S., Topuz, A., Şahin Nadeem, H., Tuğrul Ay, S., Göktürk, R. S. 2013. Phenoliccompositionandantioxidantactivity of *Salviaatomentosa* Miller: effects of cultivation, harvestingyear, andstorage. Turk. J. Agric. For., 37, 561-567.

Kaçar Y., Uzun A., Polat İ., Yeşiloğlu T., Yılmaz B., Gülşen O., Tuzcu Ö., Kamiloglu M., Kurt Ş., Seday U. ,2013. Molecular characterisation and genetic diversity analysis of mandarin genotypesby SSR and SRAP markers. Journal of Food Agriculture and Environtment. Vol: 11 (1): 516-521.

Karagüzel, Ö., Baktır, İ. 2013. The Effects of Cold Treatments on the Growth and Flowering Characteristics of *Alliumrobertianum kolmann* Bulbs. Journal of Food, Agriculture & Environment-JFAE. Vol.11 (2): 1174-1177.(SCI)

Keçeci, M., Gürkan, M. O., 2013. Biologicalcontrol of Western flowerthrips, *Frankliniella occidentalis* with *Orius* species in eggplant greenhouses in Turkey. Turkish Journal of Entomology. (Baskıda).

Keskin, L. Temirkaynak, M. Paksoy, M. Türkmen, Ö. 2013. Effects of Some Organic Fertilizers on the Yield and Yield Components in Tomato. 1. Soil – Water Journal Central Asia Congress on Modern Agricultural Techniques and Plant Nutrition, Vol 2 (2013) Number 2 (1) , 475-478.

Kurbetli, İ. 2013.*Phytophthora cinnamomi* Associated with Root and Crown Rot of Walnut in Turkey. Journal of Phytopathology, 161: 287-289, doi: 10.1111/jph.12047.

Kurbetli, İ. and Ozan, S.2013. Occurrence of Phytophthora Root and Stem Rot of Kiwifruit in Turkey. Journal of Phytopathology, 161: 887-889, doi: 10.1111/jph.12145.

Kurum, R., Ulukapı, K., Aydinşakir, K., Onus, A.N. 2013. The Influence of Salinity on Seedling Growth of Some Pumpkin Varieties used as Rootstock. Notulae Botanicae Horti Agrobotanici Cluj-Napoca 41(1):219-225.

Moise V., Biriş S.Şt., Kabas O., Ungureanu N., Vlăduț V., Boureci Gh., Stroe I. And Caba I.L. 2013. Determination of The Minimum Surface Of An Agricultural Farm Starting From Which A Tractor Power Range Becomes Profitable, For a Certain Agricultural Work, INMATEH-Agriculture Engineering, Vol 39(1), 13-22.

Öğuz A., Kabas, A., Zengin ve Çelik N., 2013.TheImprovement of Lines of Tomato on VariableLayers-Containing the m Resistant Sw-5 gene to the TSWV (Tomato Spotted Wilt Virus). Soil Water Journal Vol:2, No:2, pp: 1653-1660, ISSN: 2146-7072.

Stoica D., Voicu Gh., Plosceanu B., Carp-Ciocârdia C., Moise V., Kabas O. 2013. Dynamic Modelling of A Conical Three-Point Suspended Vibratory Sieve, INMATEH-Agriculture Engineering, Vol 40(2), 11-18.

Toker, R., Gölükçü, M., Tokgöz, H., Tepe, S. 2013. Organic Acids and Sugar Compositions of Some Loquat Cultivars (*Eriobotrya japonica* L.) Grown in Turkey. Tarım Bilimleri Dergisi – *Journal of Agricultural Sciences*, 19(2):121-128.

Yıldırım, I., Bayır, A. 2013. Effects of Different Storage Techniques on the Antioxidant Capacity, Total Phenolics and Flavonoids of 'Hayward' Kiwifruit. *ActaHorticulturae*, 1012:807-813.

Yucel, S., Kececi, M., Yurtmen, M., Yildiz, R. C., Ozarslandan, A., Can, C., 2013. Integrated Pest Management of Protected Vegetable Cultivation in Turkey. In: Balkaya A (Ed) Vegetable science and biotechnology in Turkey. *The European Journal of PlantScienceandBiotechnology7* (Special Issue 1), 7-13.

Abad, Z.G., J.A. Abad, S.O. Cacciola, A. Pane, R. Faedda, E. Moralejo, A. Perez-Sierra, P. Abad-Campos, L.A. Alvarez-Bernaola, J. Bakonyi, A. Jozsa, M.L. Herrero, T.I. Burgess, J.H. Cunnington, I.W. Smith, Y. Balci, C. Blomquist, B. Henricot, G. Denton, C. Spies, A. Mcleod, L. Belbahri, D. Cooke, K. Kageyama, S. Uematsu, I. Kurbetli and K. Değirmenci. (2014). *Phytophthora niederhauserii* sp. nov., a polyphagous species associated with ornamentals, fruit trees and native plants in 13 countries. *Mycologia*, 106 (3): 431-447.

Çınar O., M. Tanriseven and M. Gölükçü. 2014. Determination of Essential Oil Components and Antibacterial Activity of *Laurus nobilis* Leaves Collected Every Month in Winter, Natural Volatiles and Essential Oils, Special Issue 2014, Volume 1, p:209.

Cujbescu D., G.H. Voicu, G.H. Bolintineanu, C. Persu, Ö.Kabaş, S. Bungescu and S. Biriş. 2014. Experiments Regarding The Influence of Working Parameters on Hoeing Crops Sowing. INMATEH - Agricultural Engineering, 42, 1.

Demir G., E. Turgutoglu and S. Kurt. 2014. Assessment of Pollen Viability and Germination in Seven Varieties of Lemon, Ekin Journal of Crop Breeding and Genetics, 1(1) : 47-49, (Baskıda).

İçöz, S.M., İ. Polat, G. Sülü, M. Yılmaz, A. Ünlü, S. Soylu, A. Bozkurt ve Ö. Baysal. 2014. First Report of Bacterial Blight of Pomegranate Caused by *Xanthomonas axonopodis* pv. *punicae* in Turkey. *Plant Disease*, 98(10):1427.

Kurt S. and S.Ulger. 2014. Production of Common sour orange×Carrizo citrange hybrids using embryo rescue, International Journal of Fruit Science, 14:42–48.

Kurbetli İ. 2014. Involvement of *Phytophthora cryptogea* in Sweet Cherry Decline in Turkey. *Phytoparasitica*, 42 (5): 627-630.

Özbek Ö., H. Kaman. 2014. The Definition and Monitoring of Soil Water Content. Turkish Journal of Agricultural and Natural Sciences. Special Issue:1, 1067-1071.

Polat İ., O. Baysal, F. Mercatı, M. Kitner, Y. Cohen, A. Lebeda and F. Carımı. 2014. Characterization of *Pseudoperonospora cubensis* isolates from Europe and Asia using ISSR and SRAP molecular markers. European Journal of Plant Pathology. July 2014, Volume 139, Issue 3, pp 641-653. DOI 10.1007/s10658-014-0420-y

Rameshwaran, P., A. Tepe, A. Yazar and R. Ragab. 2014. The Effect Of Saline Irrigation Water On The Yield Of Pepper: Experimental And Modelling Study. Irrigation and Drainage DOI 10.1002

Sayin B. and İ. Yilmaz. 2014. Comparing The Relative Efficiency of Irrigation Unions in Antalya, Turkey: A Data Envelopment Analysis, Water Economics and Policy (Basımda)

Turgutoglu E., S. Kurt and G. Demir. 2014. Effect of GA3 Concentrations in Basal Medium on Embryos Germination of Cleopatra Mandarin x Carrizo Citrange and Cleopatra Mandarin x Flying Dragon, Ekin Journal of Crop Breeding and Genetics, 1(1) : 17-19, (Baskıda).

Aydınşakır, K., Büyüktas, D., Baştug, R., Yılmaz, İ., 2015. Water use and quality characteristics of some Bermuda grass cultivars under deficit irrigation. Mitteilungen Klosterneuburg, 65(5): 45-58

Boyacı, H.F., Topcu, V., Tepe, A., Yıldırım, I., Öten, M., Aktaş, A., 2015. Morphological and Molecular Characterization and Relationships of Turkish Local Eggplant Heirlooms, Notulae Botanicae Horti Agrobotanici Cluj-Napoca, 43(1), DOI 10.15835/nbha4319773, 43.1 (2015):100-107.

Çınar N., Bakır S., Tunçbilek A.Ş., 2015. Comparative Effects of Flower Nectar and Artificial Diets on Some Biological Aspects of the Parasitoid Species *Bracon Hebetor* (Say.) (Hymenoptera: Braconidae), Egyptian Journal of Biological Pest Control, 25 (1), 233-236.

Erdal, Ş., Pamukcu, M., Öztürk, A., Aydinsakir, K., Soylu, S. 2015. Combining abilities of grain yield and yield related traits in relation to drought tolerance in temperate maize breeding. T. Journal of Field Crops. (Basımda)

Kurt, S., Turgutoglu, E. & Demir, G. (2015). "BATEM Göral"; New mandarin cultivar, Ekin Journal of Crop Breeding and Genetics, 1(1) : 33-35.

Mutlu, N., Demirelli, A., İlbi, H., İkten, C. 2015. Development of co-dominant SCAR markers linked to resistant gene against the *Fusarium oxysporum* f. sp. *radicis-lycopersici*, TheorApplGenet, 128 (1791–1798).

Ozer, C., Sağlam , H., Ergönül, O., AYDIN, S., Yaşasın, A., Dilli, Y., Unal, A. (2015) Estimation Of Genetic Parameters In Seedless And Seeded Table Grape Breeding Programs., New Zealand Journal of Crop&Horticultural Science. NZJC-2015-0170

Turgutoglu, E., Kurt, S. and Demir, G., 2015. Effect of GA3 concentrations in basal medium on embryos germination of Cleopatra mandarin x Carrizo citrange and Cleopatra mandarin x Flying Dragon, Ekin Journal of Crop Breeding and Genetics, 1(1) : 17-19.

Yol, E., Toker, R., Gölükçü, M., Uzun, B., 2015. Oil content and fatty acid characteristics in Mediterranean sesame core collection. Crop Science, doi: 10.2135/cropsci2014.11.0771

**Aydınşakır, K.**, Büyüktas, D., Bastug, R., Yılmaz, S., 2016. Evapotranspiration and Quality Characteristics of Some Bermudagrass Turf Cultivars under Deficit Irrigation. GrasslandScience, doi: 10.1111/grs.12135.

**Aydinşakir, K.**, Dinç, N., Büyüktas, D., Baştug, R., Toker, R., 2016. Assessment of Different Irrigation Levels on Peanut Crop Yield and Quality Components under Mediterranean Conditions. *Journal of Irrigation and Drainage Engineering*, doi: 10.1061/(ASCE)IR.1943-4774.0001062).

**Aydoğdu, M.**, Kurbetli, İ. and Ozan, S., 2016. First Report of *Sclerotium rolfsii* Causing Crown Rot on Globe Artichoke in Turkey. *Plant disease*, Volume 100, Number 10, Page 2161. <http://dx.doi.org/10.1094/PDIS-01-16-0057-PDN>.

**Cebeci, E.** and Hancı, F. 2016. Male sterility applications in Allium. *Acta Hort. (ISHS)* 1145:51-56

**Erdal S** , Pamukcu, M., Ozturk, A ., Aydinsakir, K., Dogu, O.Y. 2016. Morpho-physiological combining ability among tropical and temperate maize germplasm for drought tolerance. *Genetika*, 48 (3): 1053 – 1066.

**Erdal, S.**, Pamukcu, M., Curek, M., Kocaturk, M, Dogu, O.Y. 2016. Silage yield and quality of row intercropped maize and soybean in a crop rotation following winter wheat, *Archives of Agronomy and Soil Science*, DOI:10.1080/03650340.2016.1153801

**Gölükçü, M.**, Toker, R., Tokgöz, H., Çınar, O., 2016. The Effect of Harvesting Time on Seed Oil Content and Fatty Acid Composition of Some Lemon and Mandarin Cultivars Grown in Turkey. *Tarım Bilimleri Dergisi* 22 (2016) 566-575.

**Gümrükçü, E.**, Polat, İ., Sülü G., Kitapçı A. and Baysal. Ö. 2016. First Report of Grey Mold Caused by *Botryotinia fuckeliana* on Golden Berry. *Plant Disease*, 100 (3): 656

Hancı, F. and **Cebeci, E.** 2016. Applications of genetic engineering in Allium. *Acta Hort. (ISHS)* 1145:75-78

Hancı, F., **Cebeci, E.**, and Fidancı, A., 2016. A rapid screening method for salt stress tolerance of onion genotypes, *Journal of Applied Horticulture*, ISSN:0972-1045, v:18 (1), p:39-43.

Hancı, F., **Cebeci, E.**, Uysal, E. and Dasgan, H.Y. 2016. Effects of salt stress on some physiological parameters and mineral element contents of onion (*Allium cepa* L.) plants. *Acta Hort. (ISHS)* 1143:179-186

**Kurbetli İ.**, Aydoğdu M., Sülü G., Polat İ., 2016. First Report of Pre-harvest Rot of Pear Fruit Caused by *Botrytis cinerea* in Turkey. *New Disease Reports*, 34: 16.

**Kurbetli İ.**, Sülü G., Aydoğdu M., Özdemir M., Sülü S.M., Polat İ., 2016. First Report of Kumquat Shoot Blight Caused by *Phytophthora citrophthora* in Turkey. *Plant Disease*, 100 (5): 1023.

**Kurbetli İ.**, Sülü G., Taştekin E., Polat İ., 2016. First Report of *Phytophthora inundata* Causing Olive Tree Decline in Turkey. *Canadian Journal of Plant Pathology*, 38 (2): 254-257.

**Okturen Asri, F.**, Sonmez, S., 2016. Effects of Potassium and Iron Applications on Nutrient Concentrations of Tomato Plants Grown in Soilless Culture. *Acta Horticulturae* 1142:329-334.

**Topuz E.** , Erler F., Gumrukcu E., 2016, "Survey of indigenous entomopathogenic fungi and evaluation of their pathogenicity against the carmine spider mite, *Tetranychus cinnabarinus* (Boisd.), and the whitefly, *Bemisia tabaci* (Genn.) biotype B". *Pest Management Science*, vol.72, pp.2273-2279. (DOI 10.1002/ps.4266).

Topuz, O.K., Özbural, E.B., Zhao, Q., Huang, Q., Chikindas, M., **Gölükçü, M.**, 2016. Physical and antimicrobial properties of anise oil loaded nanoemulsions on the survival of foodborne pathogens. *Food Chemistry* 203 (2016) 117–123

Yılmaz, D. and **Yıldırım, I.** 2016. Effects of different storage techniques on rupture properties of kiwifruits. *Food Measure*. 10:539–545.