

ULUSLARARASI HAKEMLİ DERGİLER

Akbas, B., Değirmenci, K., Çiftci, O., Kaya, A., Yurtmen, M., Uzunoğulları, N., Çelik, N., Türkölmez, Ş. 2011. Update on Plum pox virus distribution in Turkey. *Phytopathology Mediterranean* 50,75-83.

Ari E, Ikten, H., Gocmen, M., Coskun, R., Eren, A. 2010. Comparative Evaluation of Different Embryo Rescue Techniques on Parthenogenetic Melon (*Cucumis melo L.*) Fruits Induced With Irradiated Pollen. *African Journal of Biotechnology* Vol. 9(33), pp. 5347 - 5356.

Aydinşakir, K., Büyüktas, D., Özçelik, A., Tüzel, İ.H. 2009. Quality Characteristics of Drip Irrigated Carnation (*Dianthus caryophyllus L.* cv. "Eilat") under Protected Conditions. *Acta Hort. (ISHS)* 807:307-312.

Aydinşakir, K., Ünlü, A., Yılmaz, S., Ari, N. 2009. The Effects of Compost Applications on Yield and Quality Characteristics of Anemone coronaria L. cv. "Red Meron". *Acta Hort. (ISHS)* 807:359-364.

Aydinşakir, K., Tuzel, I.H., Buyuktas, D. 2011. The Effects of Different Irrigation Levels on Flowering and Flower Quality of Carnation (*Dianthus caryophyllus L.*) Irrigated by Drip Irrigation. *African Journal of Biotechnology*, Vol. 10(66): 14826-14835.

Baysal Ö., Siragusa, M., İkten, H., Polat, İ., Gümrükçü, E., Yigit, F., Carimi, F., Teixeira da Silva, J.A. 2009. *Fusarium oxysporum* f. sp. *lycopersici* races and their genetic discrimination by molecular markers in West Mediterranean region of Turkey. *Physiological and Molecular Plant Pathology*

Baysal Ö., Siragusa, M., Gümrükçü, E., Zengin, S., Carimi, F., Sajeva, M., Teixeria da Silva, J.A., (2009) Molecular Characterization of *Fusarium oxysporum* f. *melongenae* virulence by ISSR and RAPD Markers on Eggplant

Baysal, Ö., Siragusa,M., Gümrükçü, E., Zengin, S., Carimi, F., Sajeva, M., Teixeria da Silva, J.A. 2010. Molecular Characterization of *Fusarium oxysporum* f. *Melongenae* virulence by ISSR and RAPD Markers on Eggplant. *Biochemical Genetics* 48: 524-37.

Boyacı, H. F., Oğuz, A., Ünlü, M., Denizer, B., Abak, K., 2009. Growth, Pollen Quantity and Qality and Fruit Characteristics of Some Parthenocarpic and Non-parthenocarpic Eggplants in Unheated Greenhouse. *Acta Horticulturae*, 807:239-244.

Boyaci, H.F., Oguz, A.,Yazici, K. and Eren,A. 2011. The Efficacy of Endogenous Gibberelllic Acid for Parthenocarpy in Eggplant (*Solanum melongena L.*). *African Journal of Biotechnology*. Vol. 10(34), pp. 6522-6528, 11 July, 2011.

Boyacı H.F, Ünlü A, Abak K. 2011. Genetic Analysis of Resistance to Wilt Caused by *Fusarium* (*Fusarium oxysporum melongenae*) in Eggplant (*Solanum melongena*). *Indian Journal of Agricultural Sciences* 81 (9):26-29.

Canakci, M., Karayel, D. Topakci, M., Koc, A. 2009. 1. Performance Of A No:Till Seeder Under Dry And Wet Soil Conditions. Applied Engineering In Agriculture Dergi ISSN:08838542

Çelikyurt, M.A., Sayın, B., Tepe, S. 2011. Loquat Production In The West Mediterranean Region Of Turkey. Acta Hort. (ISHS) 887:127-129

ÇınarA., Elmasulu S., Bayır A., Turgut K. 2011.Comparison of total phenolics of ethanolic extracts from *Sideritis* species, distributed in the natural flora of Antalya. *Planta Medica*, 77(12): 1273-1273.

Dal, B., Gözen B. 2010. The Effects of Post-Harvest Waxing on Shelf Life in Satsuma Mandarin Types. *Acta Horticulturae* 877 (ISHS). ISBN 978-90-66056-13-8. ISSN 0567- 7572

Devran, Z., Söğüt, M.A. 2009. Distribution and identification of Root-knot Nematodes from Turkey. *Journal of Nematology*

Devran, Z., Mutlu, N., Özarslan, A., Elekçioğlu, İ. H. 2009. Identification and genetic diversity of *Meloidogyne chitwoodi* in potato production areas of Turkey. *Nematropica* 39: 75-83.

Devran, Z., Söğüt, M.A., Mutlu, N. 2010. Response of tomato rootstocks with the Mi resistance gene to *Meloidogyne incognita* race 2 at different soil temperatures. *Phytopathologia Mediterranea*, 49 (1): 11-17.

Devran,Z.,Söğüt,M.A.2011.Characterizingracesof*Meloidogyneincognita*,*M.javanica*and*M.arenaria*intheWestMediterraneanregionofTurkey.*CropProtection*,30,451-455.

Devran, Z., Firat, A.F., Tör, M., Mutlu, N. Elekçioğlu, I.H. 2011. AFLP and SRAP markers linked to the *mj* gene for root-knot nematode resistance in cucumber. *Scientia Agricola*, 68: 115-119.

Elmasulu, S., Kürkçüoğlu, M., Ince, A.G, Karaca, M., Çınar, A., Onus, A., Başer, KHC., Turgut K. 2011. Classification of 63 *Origanum* taxa based on microsatellite markers and essential oil composition. *Planta Medica*, 77(12): 1296-1296.

Erbas, M., Sekerci, H., Gül, S., Furat, S., Yol, E., Uzun, B. 2009. Changes in total antioxidant capacity of sesame (*Sesamum sp.*) by variety. *Asian Journal of Chemistry*, 21: 5549- 5555

Erdal, Ş., Pamukçu, M., Savur, A., Tezel, M. 2011. Evaluation of Developed Standart Sweet Corn (*zea mays sacharata l.*) Hybrids for Fresh Yield, Yield Components and Quality Parameters. *T. Journal of Field Crops*.16(2): 153-156

Furat, S., Uzun, B. 2010. The use of agro-morphological characters for the assessment of genetic diversity in sesame (*Sesamum indicum L.*). *Plant Omics J* 3:85-91

Gölükçü, M., Özdemir, F., 2010. Changes In Phenolic Composition Of Avocado Cultivars During Harvesting Time. *Chemistry of Natural Compounds*, 46 (1): 112-115.

Gozlekçi, Ş., Ercisli, S., Okturen, F., Sonmez, S. 2011. Physico-Chemical Characteristics at Three Development Stages in Pomegranate cv 'Hicaznar'. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 39(1):241-245.

Gubbuk, H., Guven, D., Gunes, E. 2010. Physical Features Of Some Turkish Carob (*Ceratonia Siliqua* L.) Pods. *Bulletin Of University Of Agricultural Sciences And Veterinary Medicine Cluj-Napoca. Horticulture, North America*, 6620 02.

Gubbuk, H., Kafkas, E., Guven, D., Gunes, E. 2010. Physical and phytochemical profile of wild and domesticated carob (*Ceratonia siliqua* L.) genotypes. *Journal Spanish Journal of Agricultural Research* Vol. 8 No. 4 pp. 1129-1136

Kabas, Ö. 2010. Methods of Measuring Bruise Volume of Pear (*Pyrus Communis* L.) *International Journal of Food Properties*, Volume 13, Issue 5 pages 1178 – 1186.

Karaca, M., Elmasulu, S., Kürkçüoğlu, M., Ince, AG, Çınar, A., Onus, A., Başer, KHC., Turgut, K. 2011. Major volatile compounds of 50 *Thymus* taxa naturally grown in Antalya region of Turkey. *Planta Medica*, 77(12): 1295-1295.

Kazaz, S., Ucar, Y., Askin, M.A., Aydinsakir, K., Senyigit, U., Kadayici, A. 2010. Effects of Irrigation Regimes on Yield and Some Quality Parameters of Carnation. *Scientific Research and Essays*, 5(19):2921-2930.

Kıralan, M., Gölükçü, M., Tokgöz, H. 2009. Oil content and CLA content of seeds from important pomegranate cultivars (*Punica granatum* L.) grown in Turkey. *Journal of The American Oil Chemists Society*, DOI 10.1007/s11746-009-1436-x.

Nasırcılar,A.G., Mirici, S., Karagüzel, Ö., Eren, Ö., Baktır, İ. 2011. In Vitro Propagation of Endemic and Endangered *Muscari mirum* Speta from Different Explant Types. *Turkish Journal of Botany*.Volume: 35, Issue 1(January 2011).

Nunes, C., Graça, A., Yıldırım, I., Sahin, G., Erkan, M. 2010. Metabolic response to UV-C treatments on minimally processed pomegranate arils. *Proceedings of the Sixth Int. Postharvest Symposium*, Eds: M. Erkan, U. Aksoy, *Acta Horticulturae*, Number 877, Volume 3, 1505-1509.

Onursal, C. E., Gozlekci, S., Erkan, M., Yildirim, I. 2010. The Effects of UV-C and Hot Water Treatments on Total Phenolic Compounds of Juice, Peel and Seed Extracts of Pomegranate (*Punica granatum* L.). *Proceedings of the Sixth Int. Postharvest Symposium*, Eds: M. Erkan, U. Aksoy, *Acta Horticulturae*, Number 877, Volume 1, 657-663.

Öktüren Asri, F., Sönmez, S. 2010. Reflection of Different Application of Potassium and Iron Fertilization on Tomato Yield and Fruit Quality In Soilless Medium. *Journal of Food Agriculture and Environment*. Vol.3&4, pp. 426-429.

Özarslanan, A., Devran, Z., Mutlu, N., Elekçioğlu, İ.H. 2009. First report of Columbia Root-knot nematode (*Meloidogyne chitwoodi*) in Potato in Turkey. *Plant Disease*, 93: 316.

Özçelik, A., Aydışakir, K., Arı, E., Özkan, C.F. 2009. The Effect of Bio-Control Agents on Yield and Flower Quality of Cut Phalaenopsis. *Acta Hort.* (ISHS) 807:693-698.

Sayin, B., Çelikyurt, M.A., Yilmaz, S., Çelik, İ. 2010. Economic Evaluation Of Chemical And Non-Chemical Soil Disinfestation Applications For Tomato Production In Turkey, *Acta Hort.* (ISHS) 883:91-97

Sayin, C., Karaman, S., Mencet, M.N., Tascioglu, Y., Yildirim, I. 2010. Determining the Role of Cold Storage Practices for Apple Marketing in Turkey. Proceedings of the Sixth Int. Postharvest Symposium, Eds: M. Erkan, U. Aksoy, *Acta Horticulturae*, Number 877, Volume 2, 979-987.

Sögüt,M.A.,Devran,Z.2011.Distributionandmolecularidentificationoffroolesionnematodesintemperefruitorchhardsofturkey.Nematropica41:128-133.

Topuz, E., Madanlar, N., Erler, F. 2011. Evaluation of fumigan ttoxicity of *Mentha pulegium* L. Essential oil against *Tetranychus cinnabarinus* (Boisduval) (Acarina:Tetranychidae)under greenhouse conditions *Fresenius Environmental Bulletin*, (Baskıda)

Tülek, A., Kepenekçi, İ., Cobanoğlu, S., Hekimhan, H., Devran, Z., Melik, B., Elekcioglu, H.İ. 2009. A new multiplication method of rice white tip nematode (*Aphelenchoides besseyi* Christie, Aphelenchida: Aphelenchoidiae), on Carrot Discs. *Russian Journal of Nematology*

Uzun, B., Zengin, Ü., Furat, Ş., Akdeşir, Ö. 2009. Sowing date effects on growth, flowering, seed yield and oil content of canola cultivars. *Asian Journal of Chemistry*, 21: 1957-1965.

Uzun, A., Yeşiloğlu,T., Polat, İ., Kaçar,Y. A., Gülşen, O., Yıldırım, B., Tuzcu, Ö., Tepe, S., Canan, I., Anıl, Ş. 2010. Evaluation of Genetic Diversity in Lemons and Some of Their Relatives Based on SRAP and SSR Markers. *Plant Mol Biol Rep.* DOI 10.1007/s11105-010-0277-y

Yılmaz, M., Baysal, Ö. 2009. Determinetion of Antibacterisid effects of Some Volatile oils against *Clavibacter michiganensis* subsp. *michiganensis* (Smith), which is agent of Bacterial Canser Deasease in Tomato (L.esculentum L.) Seed. *Seed Science and Technology* (in pres)

Yılmaz, M. 2009. Phytoalexins and Seed Applications. *Seed Science and Technology* (in pres).

Yılmaz, S., Çelikyurt, M.A., Sayin, B. 2010. Adoption of Methyl Bromide Alternatives and a Profile of Turkish Cut Flower Sector, *Acta Hort.* (ISHS) 883:75-82

Yilmaz,S., Celik,I.,Zengin, S. 2011. Combining Effects Of Soil Solarization and Grafting on Plant Yield And Soil-Borne Pathogens İn Cucumber, *International Journal of Plant Production* 5 (1), January 2011 ISSN: 1735-6814 (Print), 1735-8043 (Online)

Boyacı, H.F., Ünlü, A., Abak, K., 2012. Screening for Resistance to *Fusarium* Wilt of some Cultivated Eggplant and Wild *Solanum* Accessions. *Acta Hort.* (ISHS) 935:23-27.

Devran, Z., Baysal, Ö. 2012. Genetic Characterization of *Meloidogyne incognita* isolates from Turkey using Sequence-Related Amplified Polymorphism (SRAP), *Biologia*, 67:535-539.

Dinçer,C.,Tontul, İ., Çam,İ.,B., Özdemir,K.,S., Topuz,A.,Şahin-Nadeem,H., Tuğrul Ay,S., Göktürk,R.,S.,2012.Phenolic composition and antioxidant activity of *Salvia tomentosa* Miller: Effects of cultivation, year, and storage. Turkish Journal of Agricultural and Forestry (Yayında).

Dincer,C., M. Torun, I. Tontul, R.S., Göktürk, A. Topuz, H. Şahin-Nadeem, S. Tuğrul Ay and F. Ozdemir. 2014. Phenolic composition and antioxidant activity of *Sideritis lycia* and *Sideritis libanotica* subsp. linearis: effects of cultivation, year and storage, Turkish Journal of Agricultural and Forestry TAR-1404-14.10 Puan.

Karagüzel, Ö., Kaya, A.S, Biner B., Aydinşakir, K., 2012. In vitro propagation of native *Ornithogalum* species in West Mediterrenean region of Turkey. African Journal of Agricultural Research, Vol. 7(17):2669-2673.

Okturen Asri, F and S. Sonmez., 2012. Effects of Different Potassium and Iron Levels on Seasonal Changes of Nutrient Concentrations of Tomato Plant Grown in Soilless Culture. African Journal of Agricultural Research. Vol. 7(1), pp.28-33.

Ozer, C., A.S.Yasasin, O. Ergonul, S. Aydin, 2012. The Effects Of Berry Thinning And Gibberallin On Recel Uzumu Table Grapes. Pak. J. Agri. Sci. Vol. 49(2), 105-112.

Ozer, C., Yasasin, A S., Ergonul, O., Aydin, S. (2012) The Effects Of Berry Thinning And Gibberallin On Recel Uzumu Table Grapes. Pak. J. Agri. Sci. Vol. 49(2), 105-112.

Sayıncı, B. ,Ercisli, S., Ozturk, İ., Eryılmaz, Z. ,Demir, B. 2012. Determination Of Size And Shape In The Moro Blood Orange And Valencia Sweet Orange Cultivars As Well As The Valencia Mutants Using Image Processing.*Notulae Botanicae Horti Agrobotanici Cluj-Napoca*, 40(1), 234 - 242.

Uzun B., E. Yol, Ş. Furat, M. Topakçı, M. Çanakçı, D. Karayel (2012). The Effects Of Different Tillage Methods On The Post-Wheat Second Crop Sesame: Seed Yield, Energy Budget, And Economic Return. Turkish Journal Of Agriculture And Forestry 36(2012): 399-407.

Arslan M., Erdurmuş C., Çakmakçı S., 2013. Comparison of Germination and Early Seedling of Silage Maize (*Zea mays L.*) Exposed to Different NaCl Levels. Journal of Food, Agriculture & Environment Vol.11 (3&4): 745 – 747. 2013.Helsinki, Finland.

Arslan M., Erdurmuş C., Çakmakçı S., 2013. Effects of NaCl concentrations of Germination and Early Seedling of Silage Sorghum (*Sorghum bicolor* (L.) Moench) Varieties on Different Textured Soils. Journal of Food, Agriculture & Environment Vol.11 (2): 474 – 476. 2013.Helsinki, Finland.

Aydinşakir, K., Erdal, Ş., Büyüktaş, D., Baştuğ, R., Toker, R., 2013. The Influence of Regular Deficit Irrigation Applications on Water Use, Yield, and Quality Components of Two Corn (*Zea mays L.*) Genotypes. Agricultural Water Management, Vol 128:65-71

Aydinşakir, K., Ulukapı, K., Kurum, R., Büyüktaş, D., 2013. The effects of Different Salt Source and Concentrations on Germination and Seedling Growth of Some Pumpkin Seeds Used as Rootstock. Journal of Food, Agriculture & Environment, Vol 11(1): 503-510.

Dinçer, C., Tontul, İ., Çam, İ. B., Özdemir, K. S., Topuz, A., Şahin Nadeem, H., Tuğrul Ay, S., Göktürk, R. S. 2013. Phenolic composition and antioxidant activity of *Salvia tomentosa* Miller: effects of cultivation, harvesting year, and storage. *Turk. J. Agric. For.*, 37, 561-567.

Kaçar Y., Uzun A., Polat İ., Yeşiloğlu T., Yılmaz B., Gülşen O., Tuzcu Ö., Kamiloğlu M., Kurt Ş., Seday U. ,2013. Molecular characterisation and genetic diversity analysis of mandarin genotypes by SSR and SRAP markers. *Journal of Food Agriculture and Environment-JFAE*. Vol: 11 (1): 516-521.

Karagüzel, Ö., Baktır, İ. 2013. The Effects of Cold Treatments on the Growth and Flowering Characteristics of *Allium robertianum kolmann* Bulbs. *Journal of Food, Agriculture & Environment-JFAE*. Vol.11 (2): 1174-1177.(SCI)

Keçeci, M., Gürkan, M. O., 2013. Biological control of Western flowerthrips, *Frankliniella occidentalis* with *Orius* species in eggplant greenhouses in Turkey. *Turkish Journal of Entomology*. (Baskıda).

Keskin, L. Temirkaynak, M. Paksoy, M. Türkmen, Ö. 2013. Effects of Some Organic Fertilizers on the Yield and Yield Components in Tomato. 1. Soil – Water Journal Central Asia Congress on Modern Agricultural Techniques and Plant Nutrition, Vol 2 (2013) Number 2 (1) , 475-478.

Kurbetli, İ. 2013. *Phytophthora cinnamomi* Associated with Root and Crown Rot of Walnut in Turkey. *Journal of Phytopathology*, 161: 287-289, doi: 10.1111/jph.12047.

Kurbetli, İ. and Ozan, S.2013. Occurrence of Phytophthora Root and Stem Rot of Kiwifruit in Turkey. *Journal of Phytopathology*, 161: 887-889, doi: 10.1111/jph.12145.

Kurum, R., Ulukapı, K., Aydinşakir, K., Onus, A.N. 2013. The Influence of Salinity on Seedling Growth of Some Pumpkin Varieties used as Rootstock. *Notulae Botanicae Horti Agrobotanici Cluj-Napoca* 41(1):219-225.

Moise V., Biriş S.Şt., Kabas O., Ungureanu N., Vlăduț V., Boureci Gh., Stroe I. And Caba I.L. 2013. Determination of The Minimum Surface Of An Agricultural Farm Starting From Which A Tractor Power Range Becomes Profitable, For a Certain Agricultural Work, INMATEH-Agriculture Engineering, Vol 39(1), 13-22.

Oğuz A., Kabas, A., Zengin ve Çelik N., 2013. The Improvement of Lines of Tomato on Variable Layers-Containing the m Resistant Sw-5 gene to the TSWV (Tomato Spotted Wilt Virus). *Soil Water Journal* Vol:2, No:2, pp: 1653-1660, ISSN: 2146-7072.

Stoica D., Voicu Gh., Plosceanu B., Carp-Ciocârdia C., Moise V., Kabas O. 2013. Dynamic Modelling of A Conical Three-Point Suspended Vibratory Sieve, INMATEH-Agriculture Engineering, Vol 40(2), 11-18.

Toker, R., Gölükçü, M., Tokgöz, H., Tepe, S. 2013. Organic Acids and Sugar Compositions of Some Loquat Cultivars (*Eriobotrya japonica* L.) Grown in Turkey. *Tarım Bilimleri Dergisi – Journal of Agricultural Sciences*, 19(2):121-128.

Yıldırım, I., Bayır, A. 2013. Effects of Different Storage Techniques on the Antioxidant Capacity, Total Phenolics and Flavonoids of 'Hayward' Kiwifruit. *Acta Horticulturae*, 1012:807-813.

Yucel, S., Kececi, M., Yurtmen, M., Yildiz, R. C., Ozarslandan, A., Can, C., 2013. Integrated Pest Management of Protected Vegetable Cultivation in Turkey. In: Balkaya A (Ed) Vegetable science and biotechnology in Turkey. *The European Journal of Plant Science and Biotechnology* 7 (Special Issue 1), 7-13.

Abad, Z.G., J.A. Abad, S.O. Cacciola, A. Pane, R. Faedda, E. Moralejo, A. Perez-Sierra, P. Abad-Campos, L.A. Alvarez-Bernaola, J. Bakonyi, A. Jozsa, M.L. Herrero, T.I. Burgess, J.H. Cunnington, I.W. Smith, Y. Balci, C. Blomquist, B. Henricot, G. Denton, C. Spies, A. Mcleod, L. Belbahri, D. Cooke, K. Kageyama, S. Uematsu, I. Kurbetli and K. Değirmenci. (2014). *Phytophthora niederhauserii* sp. nov., a polyphagous species associated with ornamentals, fruit trees and native plants in 13 countries. *Mycologia*, 106 (3): 431-447.

Çınar O., M. Tanriseven and M. Gölükçü. 2014. Determination of Essential Oil Components and Antibacterial Activity of *Laurus nobilis* Leaves Collected Every Month in Winter, Natural Volatiles and Essential Oils, Special Issue 2014, Volume 1, p:209.

Cujbescu D., G.H. Voicu, G.H. Bolintineanu, C. Persu, Ö.Kabaş, S. Bungescu and S. Biriş. 2014. Experiments Regarding The Influence of Working Parameters on Hoeing Crops Sowing. INMATEH - Agricultural Engineering, 42, 1.

Demir G., E. Turgutoglu and S. Kurt. 2014. Assessment of Pollen Viability and Germination in Seven Varieties of Lemon, Ekin Journal of Crop Breeding and Genetics, 1(1) : 47-49, (Baskıda).

İçöz, S.M., İ. Polat, G. Sülü, M. Yılmaz, A. Ünlü, S. Soylu, A. Bozkurt ve Ö. Baysal. 2014. First Report of Bacterial Blight of Pomegranate Caused by *Xanthomonas axonopodis* pv. *punicae* in Turkey. *Plant Disease*, 98(10):1427.

Kurt S. and S.Ulger. 2014. Production of Common sour orange×Carrizo citrange hybrids using embryo rescue, *International Journal of Fruit Science*, 14:42–48.

Kurbetli İ. 2014. Involvement of *Phytophthora cryptogea* in Sweet Cherry Decline in Turkey. *Phytoparasitica*, 42 (5): 627-630.

Özbek Ö., H. Kaman. 2014. The Definition and Monitoring of Soil Water Content. *Turkish Journal of Agricultural and Natural Sciences*. Special Issue:1, 1067-1071.

Polat İ., O. Baysal, F. Mercatı, M. Kitner, Y. Cohen, A. Lebeda and F. Carımı. 2014. Characterization of *Pseudoperonospora cubensis* isolates from Europe and Asia using ISSR and SRAP molecular markers. *European Journal of Plant Pathology*. July 2014, Volume 139, Issue 3, pp 641-653. DOI 10.1007/s10658-014-0420-y

Rameshwaran, P., A. Tepe, A. Yazar and R. Ragab. 2014. The Effect Of Saline Irrigation Water On The Yield Of Pepper: Experimental And Modelling Study. *Irrigation and Drainage* DOI 10.1002

Sayin B. and İ. Yılmaz. 2014. Comparing The Relative Efficiency of Irrigation Unions in Antalya, Turkey: A Data Envelopment Analysis, *Water Economics and Policy* (Basımda)

Turgutoglu E., S. Kurt and G. Demir. 2014. Effect of GA3 Concentrations in Basal Medium on Embryos Germination of Cleopatra Mandarin x Carrizo Citrange and Cleopatra Mandarin x Flying Dragon, Ekin Journal of Crop Breeding and Genetics, 1(1) : 17-19, (Baskıda).

Aydinşakir, K., Büyüktas, D., Baştug, R., Yılmaz, İ., 2015. Water use and quality characteristics of some Bermuda grass cultivars under deficit irrigation. Mitteilungen Klosterneuburg, 65(5): 45-58

Boyacı, H.F., Topcu, V., Tepe, A., Yıldırım, I., Öten, M., Aktaş, A., 2015. Morphological and Molecular Characterization and Relationships of Turkish Local Eggplant Heirlooms, Notulae Botanicae Horti Agrobotanici Cluj-Napoca, 43(1), DOI 10.15835/nbha4319773, 43.1 (2015):100-107.

Çınar N., Bakır S., Tunçbilek A.Ş., 2015. Comparative Effects of Flower Nectar and Artificial Diets on Some Biological Aspects of the Parasitoid Species *Bracon Hebetor* (Say.) (Hymenoptera: Braconidae), Egyptian Journal of Biological Pest Control, 25 (1), 233-236.

Erdal, Ş., Pamukcu, M., Öztürk, A., Aydinsakir, K., Soylu, S. 2015. Combining abilities of grain yield and yield related traits in relation to drought tolerance in temperate maize breeding. *T. Journal of Field Crops.* (Basında)

Kurt, S., Turgutoglu, E. & Demir, G. (2015). "BATEM Göral"; New mandarin cultivar, Ekin Journal of Crop Breeding and Genetics, 1(1) : 33-35.

Mutlu, N., Demirelli, A., İlbi, H., İkten, C. 2015. Development of co-dominant SCAR markers linked to resistant gene against the *Fusarium oxysporum* f. sp. *radicis-lycopersici*, TheorApplGenet, 128 (1791–1798).

Ozer, C., Sağlam , H., Ergönül, O., AYDIN, S., Yaşasın, A., Dilli, Y., Unal, A. (2015) Estimation Of Genetic Parameters İn Seedless And Seeded Table Grape Breeding Programs., New Zealand Journal of Crop&Horticultural Science. NZJC-2015-0170

Turgutoglu, E., Kurt, S. and Demir, G., 2015. Effect of GA3 concentrations in basal medium on embryos germination of Cleopatra mandarin x Carrizo citrange and Cleopatra mandarin x Flying Dragon, Ekin Journal of Crop Breeding and Genetics, 1(1) : 17-19.

Yol, E., Toker, R., Gölükçü, M., Uzun, B., 2015. Oil content and fatty acid characteristics in Mediterranean sesame core collection. Crop Science, doi: 10.2135/cropsci2014.11.0771

Aydinşakir, K., Büyüktas, D., Bastug, R., Yılmaz, S., 2016. Evapotranspiration and Quality Characteristics of Some Bermudagrass Turf Cultivars under Deficit Irrigation. GrasslandScience, doi: 10.1111/grs.12135.

Aydinşakir, K., Dinç, N., Büyüktas, D., Baştug, R., Toker, R., 2016. Assessment of Different Irrigation Levels on Peanut Crop Yield and Quality Components under Mediterranean Conditions. Journal of Irrigation and Drainage Engineering, doi: 10.1061/(ASCE)IR.1943-4774.0001062).

Aydoğdu, M., Kurbetli, İ. and Ozan, S., 2016. First Report of *Sclerotium rolfsii* Causing Crown Rot on Globe Artichoke in Turkey. Plant disease, Volume 100, Number 10, Page 2161. <http://dx.doi.org/10.1094/PDIS-01-16-0057-PDN>.

Cebeci, E. and Hancı, F. 2016. Male sterility applications in Allium. Acta Hort. (ISHS) 1145:51-56

Erdal S , Pamukcu, M., Ozturk, A ., Aydinsakir, K., Dogu, O.Y. 2016. Morpho-physiological combining ability among tropical and temperate maize germplasm for drought tolerance. *Genetika*, 48 (3): 1053 – 1066.

Erdal, S., Pamukcu, M., Curek, M., Kocaturk, M, Dogu, O.Y. 2016. Silage yield and quality of row intercropped maize and soybean in a crop rotation following winter wheat, *Archives of Agronomy and Soil Science*, DOI:10.1080/03650340.2016.1153801

Gölükçü, M., Toker, R., Tokgöz, H., Çınar, O., 2016. The Effect of Harvesting Time on Seed Oil Content and Fatty Acid Composition of Some Lemon and Mandarin Cultivars Grown in Turkey. Tarım Bilimleri Dergisi 22 (2016) 566-575.

Gümrükçü, E., Polat, İ., Sülü G., Kitapçı A. and Baysal. Ö. 2016. First Report of Grey Mold Caused by *Botryotinia fuckeliana* on Golden Berry. Plant Disease, 100 (3): 656

Hancı, F. and **Cebeci, E.** 2016. Applications of genetic engineering in Allium. Acta Hort. (ISHS) 1145:75-78

Hancı, F., **Cebeci, E.**, and Fidancı, A., 2016. A rapid screening method for salt stress tolerance of onion genotypes, Journal of Applied Horticulture, ISSN:0972-1045, v:18 (1), p:39-43.

Hancı, F., **Cebeci, E.**, Uysal, E. and Dasgan, H.Y. 2016. Effects of salt stress on some physiological parameters and mineral element contents of onion (*Allium cepa* L.) plants. Acta Hort. (ISHS) 1143:179-186

Kurbetli İ., Aydoğdu M., Sülü G., Polat İ., 2016. First Report of Pre-harvest Rot of Pear Fruit Caused by *Botrytis cinerea* in Turkey. New Disease Reports, 34: 16.

Kurbetli İ., Sülü G., Aydoğdu M., Özdemir M., Sülü S.M., Polat İ., 2016. First Report of Kumquat Shoot Blight Caused by *Phytophthora citrophthora* in Turkey. Plant Disease, 100 (5): 1023.

Kurbetli İ., Sülü G., Taştekin E., Polat İ., 2016. First Report of *Phytophthora inundata* Causing Olive Tree Decline in Turkey. Canadian Journal of Plant Pathology, 38 (2): 254-257.

Okturen Asri, F., Sonmez, S., 2016. Effects of Potassium and Iron Applications on Nutrient Concentrations of Tomato Plants Grown in Soilless Culture. Acta Horticulturae 1142:329-334.

Topuz E. , Erler F., Gumrukcu E., 2016, "Survey of indigenous entomopathogenic fungi and evaluation of their pathogenicity against the carmine spider mite, *Tetranychus*

cinnabarinus (Boisd.), and the whitefly, Bemisia tabaci (Genn.) biotype B". *Pest Management Science*, vol.72, pp.2273-2279. (DOI 10.1002/ps.4266).

Topuz, O.K., Özvural, E.B., Zhao, Q., Huang, Q., Chikindas, M., **Gölükçü, M.**, 2016. Physical and antimicrobial properties of anise oil loaded nanoemulsions on the survival of foodborne pathogens. *Food Chemistry* 203 (2016) 117–123

Yılmaz, D. and **Yıldırım, I.** 2016. Effects of different storage techniques on rupture properties of kiwifruits. *Food Measure*. 10:539–545.

Ahm, E. ve Kavgacı, A. 2017: Eğirdir Orman Fidanlığı'nda Diken Ardıcı (*Juniperus Oxycedrus*) Fidan Yetiştirme Sıklığının Fidan Morfolojisine Etkileri, *Ormancılık Araştırma Dergisi*, Cilt: 4, Sayı:1 A, 1-11s.

Ahm, E. ve Uzun, H.İ. 2017: Siyah Mersin (*Myrtus communis L.*)’de Gibberellik Asit (GA₃) Uygulamalarının Meyve Kalitesi ve Çekirdeksizlik Üzerine Etkisi, *Derim*, 34:2.

Arslan, M., Oten, M., Erkaymaz, T., Tongur , T., Kilic, M., Elmasulu, S., Cinar, A. 2017. β-N-oxaryl-L-2,3-diaminopropionic acid, Lhomoarginine, and asparagine contents in the seeds of different genotypes *Lathyrus sativus L.* as determined by UHPLC-MS/MS *International Journal of Food Properties*, DOI: 10.1080/10942912.2017.1289961. ISSN: 1094-2912 (Print) 1532-2386 (Online) Journal homepage: <http://www.tandfonline.com/loi/ljfp20>

Aydoğdu, M., and Gölükçü, M., 2017. Nutritional value of huitlacoche, maize mushroom caused by *Ustilago maydis*. *Food Science and Technology*, Print version ISSN 0101-2061 Online version ISSN 1678-457X, *Food Sci. Technol*, ahead of print Epub Sep 21, 2017. <http://dx.doi.org/10.1590/1678-457x.19416>. (SCI) (Makale)

Boyaci HF, Gumrukcu E., Unlu A., Ellialtioglu SS., Abak K 2017. Assessment Results and Reflections of Some Eggplant Breeding Projects Performed in Turkey. *IRA-International Journal of Applied Sciences* 6(01):1-8, ISSN 2455-4499. doi:10.21013/jas.v6.n1.p1

Cebeci, E., Hancı, F., 2017. Mor havuçta (*Daucus carota* ssp. *sativus* var. *atrorubens* Alef) kendilemenin tohum verim ve kalitesine etkileri. *Akademik Ziraat Dergisi*, 6.Cilt, Özel Sayı, 2017, Sayfa No:99-102, ISSN: 2147-6403.

Erdal, S. Cengiz, R. , Ozturk A., Pamukcu M., Ozata E., Duman A. 2017. Developing silage maize hybrids with the cooperation among public agricultural research institutes of Turkey. *Eurasian Journal of Agricultural Research*.1 (2):52-56.

Erkan, M. and **Yıldırım, I.** 2017. Minimally Processed Refrigerated Fruits and Vegetables, Chapter: Postharvest Quality and Safety of Fresh-Cut Vegetables, Springer US, Yildiz, Fatih Yildiz, Wiley, Robert C. (Eds.), pp. 271-326. DOI: 10.1007/978-1-4939-7018-6_8

Gül, M., Akpinar, M.G., Demircan, V., Yılmaz, H., Bal, T., Arıcı, Ş.E., Polat, M., Şan, B., Ersaslan, F., Örmeci Kart, M.Ç., Gürbüz, D., **Yılmaz, Ş.G.**, 2017. Technical Staff's Knowledge Level About Integrated Pest Management and Their Features. *Scientific Papers Series Management, Economic Engineering in Agriculture and Rural Development* Vol.17, Issue 2, 2017 PRINT ISSN 2284-7995, E-ISSN 2285-3952.

Kabaş, A., Oğuz, A. 2017. Assessment of yield, agronomic and molecular traits of different types of new tomato hybrids through MAS analyses. Indian Horticulture Journal, April-June, 7 (2): 136-141

Kırışık M., Erler. F., 2017. Antalya İli’nde Örtüaltı Sebze Üretim Alanlarında Ticari Boyutta Kullanılan Biyolojik Mücadele Ajanları, Mediterranean Agricultural Sciences – (Yayında)

Kurbetli İ., Aydoğdu, M. and Sülü G. (2017). *Phytophthora chlamydospora* and *P. megasperma* associated with root and crown rot of sour cherry in Turkey. *Journal of Plant Diseases and Protection*, 124 (4) 403-406. DOI: 10.1007/s41348-017-0075-y

Kurbetli İ., Sülü, G., Aydoğdu, M. and Polat, İ. (2017). First Report of Crown and Root Rot of Plum Caused by *Phytophthora megasperma* in Turkey. *Plant Disease*, 101 (1): 260. DOI: 10.1094/PDIS-06-16-0921-PDN

Ozsan, T., **Gozen, V.** and Onus, A.N., 2017. Cucumber Gynogenesis: Effects of 8 different media on embryo and plant formation. International Journal of Agriculture Innovations and Research. 6(2): 419-422, ISSN 2319-1473.

Oten, M. 2017. The effects of different sowing time and harvesting height on hydrocyanic acid content in some silage sorghum (*Sorghum bicolor L.*) varieties. Turk J.Field Crops 2017 (22) 211-217

Şahin-Çevik, M., Çevik, B., **Topkaya-Kütük, B.**, Yazıcı, K., 2017. Identification of drought-induced genes from the leaves of Rangpur lime (*Citrus limon (L.) Osbeck*). The Journal of Horticultural Science and Biotechnology, Volume 92, Issue 6, 636-645.

Toker, R., **Gölükçü, M.**, Tokgöz, H., 2017. Effects of distillation times on essential oil compositions of *Origanum minutiflorum* O. Schwarz Et. and PH Davis. *Journal of Essential Oil Research*, 29 (4): 330-335

Ünlü, M., Kurum, R., Ünlü, A. 2017. Örtüaltı Kavun Yetiştiriciliği için Geliştirilen Hibritlerin Verim ve Meyve Özellikleri Bakımından Değerlendirilmesi. Akademik Ziraat Dergisi Cilt 6 özel sayı sayfa:121-126 ISSN: 2147-6403.

Yol, E., Üstün, R., **Gölükçü, M.**, Uzun, B., 2017. Oil content, oil yield and fatty acid profile of groundnut germplasm in mediterranean climates. *Journal of American Oil Chemists' Society*, 94: 787-804.

Yücel NK, Boyacı HF, Büyükalaca S (2017). Determination of Pollen Viability and Germination of *Solanum melongena* ve *Solanum torvum* and Obtaining Plants from *Solanum melongena* x *Solanum torvum* Hybrids Using in vitro Techniques. *Turkish Journal of Agriculture-Food Science and Technology*, 5(7), 836-840.

Albayrak, S., Öten, M., Türk., M., Alagöz, M. 2018. An Investigation On Improved Source Population For The Alfalfa (*Medicago sativa L.*) Breeding. Legume Research, 41(6), 828–832.

Alım, E., Uzun, H.İ., Aktürk, B. 2018. Effects of Gibberellic Acid Applications On Fruit Drop In Black Myrtle (*Myrtus communis L.*), International Congress On Engineering and Life Sciences Proceeding Book, Kastamonu Üniversitesi, 583-586 S.

Aydinsakir, K. 2018. Yield and Quality Characteristics of Drip Irrigated Soybean Under Different Irrigation Levels. *Agronomy Journal*, Doi: 10.2134 / Agronj 2017.12.0748.

Aydinsakir, K., Dinc, N., Buyuktas, D., Karaguzel, U.O., Ozkan, C.F., Vuran, F.A. 2018. Effects of Salinity Levels and Substrates On Yield and Flower Quality of Soilless Cultivated Rose Grown In An Unheated Greenhouse. *Fresenius Environmental Bulletin*, 27(3):1424-1436.

Aydoğdu, M. and Boyraz, N. 2018. Influence of Pollination On Smut Disease and Yield In Maize. *Journal of Agricultural Sciences*. 24 (4): 463-470.

Bayır Yeğin, A., Uzun, H. İ. 2018. Bazı Üzüm Genotiplerinin Farklı Kısımlarının Fenolik Madde ve Antioksidan Aktivite Değişimleri. *Derim*, Cilt: 35, Sayı: 1, 1-10.

Bayram, S., Tepe, S. 2018. Edranol, Ettinger ve Wurtz Avokado Çeşitlerinin Hasat Dönemleri Boyunca Meyvelerinin Bazı Fiziksel ve Kimyasal Değişimlerinin Belirlenmesi. *Derim Dergisi*. 35 (2): 96-110.

Çelik, İ., Özalp, R., Çelik, N., Polat, İ., Sülü, G. 2018. Domates Lekeli Solgunluk Virüsü (Tswv)'Ne Dayanıklı Sivri Biber Hatlarının Geliştirilmesi. *Derim*, 35 (1), 27-36. Doi: 10.16882/Derim.2018.325765

Demir, G., Koyuncu, F., 2018. Evaluation of Pomological Properties of Some Orange Varieties From West Mediterranean, Turkey, *Scientific Papers-Series B-Horticulture*, 62:135-139.

Devran, Z., Polat, İ., Mıstanoğlu, İ., Baysal, Ö. 2018. A Novel Multiplex Pcr Tool For Simultaneous Detection of Three Root-Knot Nematodes. *Australasian Plant Pathology*, 47(211): 1-4

Dinc, N., Aydinsakir, K., Isik, M., Bastug, R., Ari, N., Şahin, A., Buyuktas, D. 2018. Assessment of Different Irrigation Strategies On Yield and Quality Characteristics of Drip Irrigated Pomegranate Under Mediterranean Conditions. *Irrigation Science*, 37:87-96. Doi:10.1007/S00271-017-0565-5.

Erbaş D., Koyuncu M.A., Onursal C.E. 2018. Effects of Pre- and Postharvest Spermidine Treatments On Storage Life and Quality of 'Aprikoz' Apricot. *Acta Hortic.* 1194, 785-791.

Erdal, Ş. 2018. Comperative Evaluation of Maize Hybrids Under Water Stress and Rain-Fed Conditions. *Fresenius Environmental Bulletin*. 27(7): 5125-5130

Erdal, Ş., Öztürk, A., Pamukçu, M., Özata, E., Sezer, M.C. 2018. Public Popcorn Breeding Studies of Turkey, *Ekin Journal*, 2018 4(2):1-7.

Erdal, Ş. 2018. Kendilenmiş Mısır Hatlarının Genetik Uzaklıklarının Belirlenmesi. *Derim*, 35(1): 73-80

Erdurmuş, C. 2018. Antalya Doğal Florasından Toplanan Düğmeli Yoncanın (*Medicago orbicularis* L.) Moleküler Karakterizasyonu. *Derim*, 35(2), 186 – 193

Erdurmus, C. 2018. Determination of Performances Sweet Sorghum Genotypes and Variations On A Mediterranean Coastal Zone. *Fresenius Enviromental Bulletin*. Volume 27 No. 11/2018 Pages 7846-7852.

Erdurmus, C., Yucel, C., Cinar, O., Bayir Yegin, A., Oten, M. 2018. Bioethanol and Sugar Yields of Sweet Sorghum. *The International Journal of Engineering and Science (Ijes)* Volume:7, Pages 21 – 26.

Erdurmuş, C., Çakmakçı, S. 2018. Morphological Characterization of Button Medic (*Medicago orbicularis* L.) Collected From Natural Flora of Antalya Province. *Fresenius Enviromental Bulletin*. Volume 27 No. 3/2018 Pages 1593 – 1603.

Güneyli A., Koyuncu M.A., Onursal C.E., Erbaş D., Çetinbaş M., Butar, S., Koyuncu F. 2018. Effects of Pre-Harvest Retain Treatments With Map On Cold Storage Quality of Sweet Cherry Cv. 0900 Ziraat. *Scientific Papers Series B. Horticulture* Volume LXII, 153-158.

Gölükçü, M., Kabaş, A., Bayır Yeğin, A., Vuran, F.A., Yüksel, K., Tanır, A. 2018. Domatesin Bazı Fiziksel ve Kimyasal Kalite Özelliklerinin Melezleme İle Değişimi. *Derim*, 35 (2): 152-160.

Güven D., Arı, N., Eryılmaz Z., Özkan, C.F., Öktüren Asri, F., Demirtaş, E.I., Çelikyurt M.A. 2018. Damla Sulama Sistemi İle Uygulanan Farklı Seviyelerdeki Azotun Washington Navel Portakalında verim Üzerine Etkisi Türk Tarım ve Doğa Bilimleri Dergisi 5(4): 440–446, 2018.

Hancı, F., Cebeci, E. 2018. Determination of Morphological Variability of Different *Pisum* Genotypes Using Principal Component Analysis. *Legume Research*, Volume: 41, Pp: 1-7.

Hancı, F., Cebeci, E. 2018. Improvement of Abiotic Stress Tolerance In Onion: Selection Studies Under Salinity Conditions. *The International Journal of Engineering and Science*, Vol:7, Pp: 54-58.

İlker, E., Kocatürk, M., Kadıroğlu, A., Altınbaş, M, Yıldırım, A., Öztürk, G., Yıldız, H. 2018. Stability Analyses For Double Cropping İn Soybean [(*Glycine max* L.) Merrill]. *Turkish Journal of Field Crops*. 23 (2): 80-84

İlker, E., Kocatürk, M., Kadıroğlu, A., Yıldırım, A., Öztürk, G., Yıldız, H., Köken, İ. 2018. A Research On Adaptation Abilities and Quality Parameters of Selected Soybean Lines Under Double Cropping İn Mediterranean Region. *Turkish Journal of Field Crops*. 23 (1): 49-55

Karaca, C., Büyüktas, D., Baştug, R., Aydinsakir, K., Büyüktas, K. 2018. Comparing Seven Different Reference Evapotranspiration Equations With Penman-Monteith For Antalya, Turkey. *Fresenius Environmental Bulletin*, 27(12b):9500-9508.

Karik, U., Çınar, O., Tuncturk, M., Sekeroglu, S., Gezici, S. 2018. Essential Oil Composition of Some Sage (*Salvia* spp.) Species Cultivated In İzmir (Turkey) Ecological Conditions. *Indian Journal of Pharmaceutical Education and Research*. 52(4): 102-107.

Kirişik, M., Topuz, E., Çobanoğlu, S. 2018. *Tyrophagus neiswanderi* (Acarı: Acaridae) As A Pest of Greenhouse Spinach In Antalya, Turkey. *Journal of Agricultural Sciences (Accepted Submissions, Jan 12, 2018)*.

Koyuncu, M.A., Erbaş, D., Onursal, C.E., Seçmen, T., Güneyli, A., Üzümçü Sevinç, S. 2018. Postharvest Treatments of Salicylic Acid, Oxalic Acid and Putrescine Influences Bioactive Compounds and Quality of Pomegranate During Controlled Atmosphere Storage. *Journal of*

Koyuncu, M.A., Güneyli, A., Erbaş, D., Onursal, C.E., Seçmen, T. 2018. Combined Effects of Map and Postharvest Salicylic Acid Treatment On Quality Attributes of Dill (*Anethum graveolens L.*) Bunches During Storage. *Journal of Agricultural Sciences*, 24, 340-348.

Koyuncu, M.A., Onursal, C.E., Erbaş, D., Çetinbaş, M., Butar, S. 2018. Effects of Preharvest Aminoethoxyvinylglycine (Avg) Treatment On Storage Life and Quality of 'Golden Delicious' Apple. *Acta Hortic.* 1194, 59-66.

Koyuncu, M.A., Seçmen, T., Onursal, C.E., Erbaş, D., Güneyli, A., Üzümcü Sevinç, S., Koyuncu, F. 2018. Effect of Postharvest Oxalic Acid Treatment On Cold Storage of Apricot Cv. 'aprikoz'. *Scientific Papers. Series B, Horticulture.* Vol. LXII, 147-152.

Kurbetli, İ., Aydoğdu, M. and Çetinel, B. 2018. First Report of *Phytophthora nicotianae* Causing Root and Crown Rot of Strawberry In Turkey. *New Disease Reports*, 37: 18. Doi: 10.5197/J.2044-0588.2018.037.018

Namal, H., Eroğlu, S., Keskin, L., Türkmen, Ö. 2018. Enginarda (*Cynara scolymus*) Farklı Sıcaklık Rejimlerinin Fide Kalitesi Üzerine Etkileri. *Manas Journal of Agdiculture veterinary and Life Sciences* (Basımda)

Öten, M., Kiremitci, S., Erdurmuş, C. 2018. Unveil of Superior Landraces of Common vetch (*Vicia sativa L.*) For Yield and Yield Components To Overcome Bottleneck. *Fresenius Enviromental Bulletin*. Volume 27 No. 9/2018 Pages 6324 - 6329.

Öten, M. and Cinar, O. 2018. Chemical Properties of Silage and Grain Sorghum (*Sorghum bicolor L.*) Varieties. *The International Journal of Engineering and Science (Ijes)*. 7(10) 18-23.

Öten, M., Albayrak, S., Kiremitci, S., Türk., M. 2018. Determination of Yield and Quality Parameters of Some Alfalfa (*Medicago sativa L.*) Genotypes In The Mediterranean Region of Turkey. *Fresenius Environmental Bulletin*. 27(11): 7627-7633.

Öten, M., Kiremitci, S., Albayrak, S., Türk., M. 2018. New Source Populations Development Studies In The Alfalfa (*Medicago sativa L.*) Breeding. *Fresenius Environmental Bulletin*. 27(11): 7520-7526.

Öten, M., Kiremitci, S., Erdurmuş., C. 2018. Unveil of Superior Landraces of Common vetch (*Vicia sativa L.*) For Yield and Yield Components To Overcome Bottleneck. *Fresenius Environmental Bulletin*. 9: 6324-6329.

Öten, M., Kabaş, Ö., Kiremitci, S., 2018. Antalya İli Doğal Florasından Toplanan Bazı Yonca Genotiplerinin Yaprak Kopma Dirençlerinin Belirlenmesi. *Derim* 35(1): 81-86.

Özata, E., İkincikarakaya, S.Ü., Öztürk, A. 2018. The Determination of Silage Yield and Quality Traits of Candidate Maize Hybrids, *Ekin Journal*, 2018 4(1):31-40.

Özbek, Ö., Kaman, H. 2018. "Effects of Different Irrigation Regimes On Eggplant Yield İn Greenhouse Conditions", *Bangladesh Journal of Botany*, Vol.47, Pp.173-179.

Özkan, C.F., Anaç, D., Eryüce, N., Demirtaş, E.I., Öktüren Asri, F., Güven, D., Şimşek, M., Arı, N. 2018. Effect of Different Potassium and Sulfur Fertilizers On Onion (*Allium cepa* L.) Yield and Quality. Electronic Fertiliser Correspondence (E-İfc) No. 53, June 2018 P 15-24.

Özkan, C.F., Demirtaş, E.I., Öktüren Asri, F., Arı, N. 2018. Örtüaltı Hiyar Yetiştiriciliğinde Petiol Özsuyu Nitrat Azotu İle Bitki ve Toprak Azot Değerleri Arasındaki İlişkiler. Derim, 35(2). (Baskıda)

Polat, İ. 2018. Chapter 12. Advanced Innovative Tools In Lemon (*Citrus limon* L.) Breeding. Advances In Plant Breeding Strategies: Fruits. Volume 3. Editors: Al-Khayri, Jameel, M., Jain, S. Mohan, Johnson, Dennis V. (Eds.), Pages:437-463, Springer

Polat, İ., Baysal, Ö., Gümrükçü, E., Sülü, G., Kitapçı, A., Özalp, R., Çelik, İ., Devran, Z., and Polat, E. 2018. Molecular Diversity and Assessment of Reactions of Pepper Pure Line Germplasm To *Botrytis cinerea*. Plant Protection Science. 54(3):147-152

Polat, İ., Baysal, Ö., Mercati, F., Gümrükçü, E., Sülü, G., Kitapçı, A., Araniti, F., Carimi, F. 2018. Characterization of *Botrytis cinerea* Isolates Collected On Pepper In Southern Turkey By Using Molecular Markers, Fungicide Resistance Genes and Virulence Assay. Infect Genet Evol. 60:151-159

Polat, İ., Sülü, G., Kitapçı, A., Gümrükçü, E., Baysal, Ö. 2018. Assessing The Population Structure of *Botrytis cinerea* From Different Hosts Using Molecular Fingerprinting. Derim, 35(2):121-134

Savran, M.K., Kaya, Ü. 2018. Olive and Olive Oil Industry In Turkey, Chronica Horticulture, 2018, 58 (01-02):24-28, ISSN.0578-039x.

Topuz, E., Madanlar, N., and Erler, F. 2018. Chemical Composition, Toxic and Development-and Reproduction-Inhibiting Effects of Some Essential Oils Against *Tetranychus Urticae* Koch (Acarina: Tetranychidae) As Fumigants, Journal of Plant Diseases and Protection, 125 (4): 377–387.

Uçar, E., Özyazıcı, M.A., Özel, S., Karaköy, T., Öktüren Asri, F., Kütük Dinçel, G., Dinçel, B., 2018. Determination of Heavy Metal Levels İn *Echium italicum* L. Plants. Notulae Scientia Biologicae, 10(3):424-429.

Ulukapi, K., Aydinsakir, K., Kurum, R., 2018. Determination of Some Parameters of Landrace Green Bean (*Phaseolus vulgaris* L.) Genotypes Collected From Western Mediterranean Region of Turkey. Derim, 35(2):87-106

Ulukapi, K., Aydinsakir, K., Kurum, R., 2018. Genetic Diversity of Landrace *Phaseolus vulgaris* L. Genotypes Using Morphological Characters and Determination of The Effectiveness of Characters. Fresenius Environmental Bulletin, 27(12a):9245-9257.

Aydinsakir, K., Karaca, C., Ozkan, C.F., Dinc, N., Buyuktas, D., Isik, M. 2019. Excess nitrogen exceeds the European standards in lettuce grown under greenhouse conditions. Agronomy Journal, 111(2):764-769, doi:10.2134/agronj2018.07.0425.

Cebeci, E., Hancı, F. 2019. A simple approach to bolting tendency in purple carrot: correlation

and path analysis between some morphological and biochemical traits. Int. J. Adv. Res. Biol. Sci. (2019). 6(2): 38-45. ISSN: 2348-8069 DOI: <http://dx.doi.org/10.22192/ijarbs.2019.06.02.004>.

Cebeci, E., Hancı, F. 2019. Effects of growing location and cold storage on nutritional values of purple carrot (*Daucus carota ssp. sativus* var. *Atrorubens* Alef) genotypes. Applied ecology and environmental research. 17(6):15245-15254. ISSN 1785 0037 (Online) DOI: http://dx.doi.org/10.15666/aeer/1706_1524515254.

Cebeci, E., Hancı, F., Şimşek, M. 2019. Diversity analysis of some local purple carrot accessions collected from Turkey. Geneconserve 18 (70): 01-09. ISSN: 1808-1878

Çakır, E., Karahan, A., Kurbetli, İ. 2019. Involvement of *Colletotrichum coccodes* Causing Atypical Symptoms of Potato Tubers in Turkey. Journal of Plant Diseases and Protection, 126:173–176.

Çetin, M. D. 2019. The examination of some agricultural features of the potato (*Solanum tuberosum L.*) Clones obtained via the hybridization. Fresenius Environmental Bulletin Volume 28(11A/2019): 8412-8418.

Erdal, S., Cengiz, R., Ozturk, A. 2019. Breeding Doubled Haploid Maize Inbred Lines for Methionine and Lysine Amino Acid Composition. Maydica, 64 (2): 1-10

Hancı, F., Cebeci, E. 2019. Relationships among cultivated peas and their wild relatives: molecular and morphological characterization. Bangladesh Journal Of Botany, cilt.48, ss.1011-1019.

Hancı, F., Cebeci, E. 2019. Determination of morphological variability of different *Pisum* genotypes using principal component analysis, LEGUME RESEARCH, vol.42 (2), pp.162-167.

Karagüzel, Ü. Ö., Özkan, C. F. 2019. Soil and plant relations of some *Ornithogalum* (endemic/non endemic) species. Applied Ecology And Environmental Research 17(2):3107-3121.

Kaya, A. S., Aydinşakir, K., Karaguzel, U. O. 2019. Assessment of GA3 and BA application on gerbera cultivation in soilless culture. International Journal of Agriculture, Environment and Food Sciences, 3(1):41-45.

Keskin, L., Namal, H. 2019. Bazı Enginar Çeşitlerinde Farklı Uygulamaların Verim ve Verim Unsurları Üzerine Etkileri. Manas Journal of Agriculture Veterinary and Life Sciences ISSN 1694-7932 e-ISSN 1694-7932Volume 9 (Issue 1) (2019) Pages 8-13

Kirisik, M., Unlu, M., Erler, F. 2019. Evaluation of some melon lines for their resistance against melon aphid, *Aphis gossypii* Glover, 2019. Turkish Journal of Agriculture and Forestry. (accepted and not press).

Kocaturk, M., Cubukcu, P., Goksoy, A., Sincik, M., Ilker, E., Kadiroglu, A., Vurarak, Y., Sahin, Y., Karakus, M., Yildirim, U. 2019. Gge Biplot Analysis Of Genotype × Environment Interaction In Soybean Grown As A Second Crop. Turk Journal of Field Crops 2019, 24(2), 145-154.

Koyuncu, M. A., Erbaş, D., Onursal, C. E., Seçmen, T., Güneyli, A., Üzümcü Sevinç, S. 2019. Postharvest treatments of salicylic acid, oxalic acid and putrescine influences bioactive compounds and quality of pomegranate during controlled atmosphere storage. *Journal of Food Science and Technology*, 56 (1): 350-359.

Kurt, Ş., Ülger, S. 2019. Optimizing embryo stage and GA3 doses in Common mandarin x Carrizo citrange crosses on embryo rescue technique. *Mediterranean Agricultural sciences*, 32(3): 263-266. DOI: 10.29136/mediterranean.488149.

Öktüren Asri, F., Arı, N., Demirtaş, E. I., Özkan, C. F., Güven, D. 2019. Antalya İli Gazipaşa ve Alanya İlçelerinde Domates Yetiştirilen Sera Topraklarının Verimlilik Özellikleri ve Bitkilerin Beslenme Durumlarının Belirlenmesi. *ÇOMÜ Ziraat Fakültesi Dergisi*, 7(1):29-38. DOI: 10.33202/comuagri.549738.

Öktüren Asri, F., Özkan, C. F., Demirtaş, E. I., Arı, N. 2019. Antalya İli Aksu İlçesinde Patlıcan Yetiştirilen Sera Topraklarının Verimlilik Durumlarının Belirlenmesi. *Mediterranean Agricultural Sciences*, 32 (Özel Sayı):43-46. DOI:10.29136/mediterranean.558263.

Öten, M., Erdurmuş, C., Çeçen, S., Yucel, C. 2019. Influence of locations under same climatic zone on some common vetch lines (*Vicia sativa L.*) Legume Research, 42(5),671–675.

Sayılgan, Ç., Kocatürk, M. 2019. Sahil ve geçit kuşağına uygun tescilli ve yerel nohut çeşitlerinin Batı Akdeniz Bölgesi’nde yazlık ekim verim performanslarının değerlendirilmesi. *DERİM*. 2019; 36(2): 207-216.

Tepe, A., Kabaş, A. 2019. Determination of low temperature tolerances of some tomato genotypes. *Derim. Sayı: 2, Cilt: 36: 118–123.*

Turgutoğlu, E., Baktır, İ. 2019. In vitro and in vivo assessment of the sensitivity of some tangerine mutants to *Alternaria alternata* pv. *citri*. *Mediterranean Agricultural Sciences*, 32(2): 117-120.

Yıldız Turgut, D., Topuz, A. 2019. Bioactive Compounds and Biological Activities of Kumquat (Fortunella spp.). *Turkish Journal of Agriculture-Food Science and Technology*, 7(10): 1581-1588.